According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2023
1.7	13.06.2023	800010050357	Print Date 14.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Shell Omala S3 WX 220
Product code	: 001J3808

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Gear lubricant.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell Italia Oil Products SRL Via Vittor Pisani 16 I-20124 Milano MI
Telephone Telefax Contact for Safety Data Sheet	 (+39) 0200695000 (+39) 022484260 If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: SI	HELL: (+39 02 3800.4461/2 (available 24h a day)
Po	bison Centers (CAV) eligible for access to information for
he	alth emergency response:
C	AV Osp. Bambin Gesù Roma 06 68593726; CAV Policlinico
"U	Imberto I" Roma 06-49978000;
C	AV Policlinico "A. Gemelli" Roma 06 3054343; CAV Milano
02	2 66101029; CAV Bergamo 800883300;
C	AV Pavia 0382 24444; CAV Verona 800011858; CAV Firen-
Ze	055 7947819; CAV Napoli 081 5453333;
	AV Foggia 800183459.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Versio 1.7	on	Revision Date: 13.06.2023	-	DS Number: 00010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
	lazard Signal v	pictograms word	:	No Hazard Sym No signal word	bol required
Н	lazard	statements	:	Not clas criteria. HEALTI Not clas ENVIRC	CAL HAZARDS: ssified as a physical hazard according to CLP H HAZARDS: ssified as a health hazard under CLP criteria. DNMENTAL HAZARDS: ssified as environmental hazard according to
Р	recau	tionary statements	:	Prevention: No prec	autionary phrases.
				Response: No prec	autionary phrases.
				Storage:	
				No prec	autionary phrases.
				Disposal:	
				No prec	autionary phrases.
S	Safety	data sheet available	on r	equest.	
S	Sensitis	sing components			yl Carboxylic Acid Derivative In allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Complex mixture of glycols, glycol ethers and additives.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version	Revision Date:	SDS Number:	Date of I
1.7	13.06.2023	800010050357	Print Dat

last issue: 16.02.2023 te 14.06.2023

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Alkaryl amine	68411-46-1	Repr. 2; H361	0,1 - 2,9
	270-128-1		
	01-2119491299-23		
Phenol, isopropylated, phosphate	68937-41-7	Repr. 2; H361	0,1 - 0,9
(3:1) [Triphenyl phosphate < 5%]	273-066-3	STOT RE 2; H373	
	01-2119535109-41	Aquatic Chronic 4;	
		H413	
(4-nonylphenoxy)acetic acid	3115-49-9	Acute Tox. 4; H302	0,01 - 0,09
	221-486-2	Skin Corr. 1B; H314	
	01-2119982392-31	Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures Protection of first-aiders When administering first aid, ensure that you are wearing the : appropriate personal protective equipment according to the incident, injury and surroundings. If inhaled : No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice. In case of skin contact Remove contaminated clothing. Flush exposed area with wa-: ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention. In case of eye contact Flush eye with copious quantities of water. : Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention. If swallowed In general no treatment is necessary unless large quantities : are swallowed, however, get medical advice.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023		9S Number: 0010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
4.2 Most i	important symptoms a	nd e	ffects, both acut	e and delayed
Symp	otoms	:	of black pustules	is signs and symptoms may include formation and spots on the skin of exposed areas. sult in nausea, vomiting and/or diarrhoea.
4.3 Indica	tion of any immediate	mec	lical attention an	d special treatment needed
Treat	ment	:	Notes to doctor/p Treat symptoma	
SECTION	N 5: Firefighting meas	sur	es	
5.1 Exting	guishing media			
Suita	ble extinguishing media	:		ay or fog. Dry chemical powder, carbon diox- h may be used for small fires only.
Unsu media	itable extinguishing a	:	Do not use wate	r in a jet.
5.2 Specia	al hazards arising from	the	substance or m	ixture
-	ific hazards during fire-	:	Hazardous comb A complex mixtu gases (smoke). Carbon monoxid occurs.	pustion products may include: re of airborne solid and liquid particulates and e may be evolved if incomplete combustion anic and inorganic compounds.
5.3 Advic	e for firefighters			
	ial protective equipment efighters	:	gloves are to be large contact wit Breathing Appar a confined space	e equipment including chemical resistant worn; chemical resistant suit is indicated if h spilled product is expected. Self-Contained atus must be worn when approaching a fire in e. Select fire fighter's clothing approved to ds (e.g. Europe: EN469).
Spec ods	ific extinguishing meth-	:		g measures that are appropriate to local cir- the surrounding environment.
SECTION	N 6: Accidental releas	se r	neasures	
6.1 Perso	nal precautions, protec	ctive	equipment and	emergency procedures
Perso	onal precautions	:		nergency personnel: th skin and eves.

Personal precautions	:	 6.1.1 For non emergency personnel: Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes
		Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions : Use appropriate containment to avoid environmental contami-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023	SDS Number: 800010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
			rom spreading or entering drains, ditches or and, earth, or other appropriate barriers.
		Local authorities cannot be contain	should be advised if significant spillages ned.
6.3 Method	is and material for co	ntainment and cleani	ng up
Metho	ds for cleaning up	Prevent from spr or other containn Reclaim liquid dir	ilt. Avoid accidents, clean up immediately. eading by making a barrier with sand, earth pent material. rectly or in an absorbent. with an absorbent such as clay, sand or other

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

suitable material and dispose of properly.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.			
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.			
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.			
7.2 Conditions for safe storage	7.2 Conditions for safe storage, including any incompatibilities				
Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.			
Packaging material	:	Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.			

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023	SDS Number: 800010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023	
Container Advice		: Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.		
7.3 Specific end use(s) Specific use(s)		: Not applicable		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection		
Remarks	:	Where hand contact with the product may occur the use of

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023	SDS Number: 800010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
		US: F739) mad suitable chemi- gloves Suitabil usage, e.g. fre- sistance of glov glove suppliers Personal hygie Gloves must o gloves, hands cation of a non For continuous through time of 480 minutes w short-term/spla recognize that may not be ava time maybe ac and replaceme a good predicte dependent on Glove thicknes	ed to relevant standards (e.g. Europe: EN374, de from the following materials may provide cal protection. PVC, neoprene or nitrile rubber ity and durability of a glove is dependent on quency and duration of contact, chemical re- ve material, dexterity. Always seek advice from a. Contaminated gloves should be replaced. In is a key element of effective hand care. Inly be worn on clean hands. After using should be washed and dried thoroughly. Appli- perfumed moisturizer is recommended. I contact we recommend gloves with break- f more than 240 minutes with preference for > here suitable gloves can be identified. For ash protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance int regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is the exact composition of the glove material. s should be typically greater than 0.35 mm the glove make and model.
Skin	and body protection	work clothes.	is not ordinarily required beyond standard ice to wear chemical resistant gloves.
Resp	iratory protection	conditions of u In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combina Select a filter s and vapours [T	protection is ordinarily required under normal se. with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for combined particulate/organic gases Type A/Type P boiling point > 65°C (149°F)] 387 and EN143.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Liquid at room temperature.
Colour	: colourless
Odour	: Slight hydrocarbon

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023		S Number: 0010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
Odour	r Threshold	:	Data not availab	le
pour p	pour point		-39 °C Method: ISO 30	16
Meltin	g / freezing point		Data not availab	le
	Initial boiling point and boiling range		> 280 °Cestimat	red value(s)
Flamn	nability			
Fla	ammability (solid, gas)	:	Not applicable	
Fla	ammability (liquids)	:	Not classified as	flammable but will burn.
Lower	explosion limit and upp	er ex	xplosion limit / flar	mmability limit
	Jpper explosion limit / pper flammability limit	:	Typical 10 %(V)	
	ower explosion limit / ower flammability limit	:	Typical 1 %(V)	
Flash	Flash point		278 °C Method: ISO 25	92
Auto-i	gnition temperature	:	> 320 °C	
	nposition temperature composition tempera- e	:	Data not availab	le
pН		:	Not applicable	
Viscos Vis	sity scosity, dynamic	:	Data not availab	le
Vis	scosity, kinematic	:	222 mm2/s (40,0 Method: Unspec	
			34,4 mm2/s (100 Method: Unspec	
	ility(ies) ater solubility	:	Moderate	
So	lubility in other solvents	:	Data not availab	le
	on coefficient: n- ol/water	:	log Pow: > 6 (based on inforn	nation on similar products)

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023	SDS Number: 800010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023	
Vapo Dens	ur pressure ity	: < 0,5 Pa (20 estimated va : 1.054 kg/m3 Method: ISO	lue(s) (15,0 °C)	
Relat	ive vapour density	: > 1 estimated va	lue(s)	
Explo Oxidi Flamı	information osives zing properties mability (liquids) oration rate	: Data not ava	as flammable but will burn.	
Cond	uctivity	: This material	is not expected to be a static accumulato	r.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Reacts with strong oxidising agents.
---------------------	---	--------------------------------------

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin and eye contact are the primary routes of exposure alt-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

	Revision Date: 13.06.2023		0S Number: 0010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023			
exposure			hough exposure	e may occur following accidental ingestion.			
Acute	toxicity						
Produ	ct:						
		:	LD50 (rat): > 5.000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.				
Acute i	nhalation toxicity	:	Remarks: Base are not met.				
Acute dermal toxicity		:	LD50 (Rabbit): Remarks: Low t Based on availa				
Skin c	orrosion/irritation						
<u>Product:</u> Remarks		:	Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as o acne/folliculitis. Based on available data, the classification criteria are not me				
Seriou	is eye damage/eye i	rritati					
		iiiiaii					
Product: Remarks		:	Slightly irritating Based on availa	to the eye. able data, the classification criteria are not met.			
Respir	atory or skin sensit	tisatio	n				
Product: Remarks		:	Not a sensitiser	and skin sensitisation: able data, the classification criteria are not met.			
<u>Comp</u>	onents:						
(4-non Remar	ylphenoxy)acetic a ks	cid: :	May cause an a	Illergic skin reaction in sensitive individuals.			
Germ	cell mutagenicity						
Product: Genotoxicity in vivo :		:	Remarks: Non r	nutagenic			

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

/ersion .7	Revision Date: 13.06.2023		DS Number: 0010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
	cell mutagenicity- As-	:	This product does	le data, the classification criteria are not met.
	sessment Carcinogenicity		categories 1A/1B	
<u>Produ</u> Rema		:	Not a carcinogen Based on availab	le data, the classification criteria are not met.
Carcii ment	nogenicity - Assess-	:	This product does categories 1A/1B	s not meet the criteria for classification in
Mato	vial	6	US/CL D Caroinog	onicity Classification

Material	GHS/CLP Carcinogenicity Classification
Phenol, isopropylated, phos- phate (3:1) [Triphenyl phos- phate < 5%]	No carcinogenicity classification.
(4-nonylphenoxy)acetic acid	No carcinogenicity classification.

Reproductive toxicity

Product:

Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
STOT - single exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure		
<u>Product:</u> Remarks	:	Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard., Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023		S Number: 0010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023			
11.2 Info	ormation on other haza	ards					
End	Endocrine disrupting properties						
Pro	duct:						
Assessment :		:	ered to have end REACH Article 5	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.			
Furt	ther information						
Pro	duct:						
Ren	narks	:	lated during use. depend on use an environment on c	uld be handled with caution and skin contact			
Ren	narks	:	Slightly irritating t	o respiratory system.			
Ren	narks	:	Classifications by frameworks may	other authorities under varying regulatory exist.			
Ren	narks	:		otherwise, the data presented is representa- t as a whole, rather than for individual com-			

SECTION 12: Ecological information

12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic:
Toxicity to daphnia and other aquatic invertebrates	:	Practically non toxic:
Toxicity to algae/aquatic plants	:	Based on available data, the classification criteria are not met. Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other	:	Remarks: Based on available data, the classification criteria are not

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Ver 1.7	sion	Revision Date: 13.06.2023		DS Number: 00010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
	aquatio	invertebrates (Chron- ity)		met.	
	Toxicity	to microorganisms	:	Remarks: Based on met.	available data, the classification criteria are not
	Compo	onents:			
	•	ylphenoxy)acetic acio or (Acute aquatic tox-	:: :	1	
12.2	2 Persis	tence and degradabil	ity		
	<u>Produc</u> Biodeg	:t: radability	:		ly biodegradable. are inherently biodegradable, but contains com- ersist in the environment.
12.:	3 Bioaco	cumulative potential			
	<u>Produc</u> Bioacci	<u>et:</u> umulation	:	Remarks: Contains	components with the potential to bioaccumulate.
12.4	4 Mobili	ty in soil			
	Produc Mobility		:		under most environmental conditions., If it adsorb to soil particles and will not be mo-
12.	5 Result	s of PBT and vPvB as	sse	ssment	
	<u>Produc</u> Assess		:		not contain any REACH registered sub- assessed to be a PBT or a vPvB
12.	6 Endoc	rine disrupting prope	rtie	s	
	Produc				
	Assess	ment	:	have endocrine dist 57(f) or Commission	ure does not contain components considered to upting properties according to REACH Article on Delegated regulation (EU) 2017/2100 or ation (EU) 2018/605 at levels of 0.1% or higher.
12.	7 Other	adverse effects			
	<u>Produc</u>	<u>>t:</u>			

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023	SDS Number: 800010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
Additional ecological infor- mation		tion potential or g Product is a mixt	cone depletion potential, photochemical ozone crea- global warming potential. ure of non-volatile components, which will not be any significant quantities under normal conditions
		Poorly soluble m Causes physical t	ixture. fouling of aquatic organisms.
			otherwise, the data presented is representative of whole, rather than for individual component(s).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.
	MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation	
Waste catalogue	: EU Waste Disposal Code (EWC):

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023	SDS Number: 800010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
Waste	e Code	: 13 02 06*	
Remarks		user. For the dispos empty contain 152/06 and su Disposal shou	of waste is always the responsibility of the end al of waste arising from the product, including ers not cleared, follow the Legislative Decree bsequent amendments. Id be in accordance with applicable regional, ocal laws and regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADN		Not regulated as a dangerous good
	•	5 5 5
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version 1.7	Revision Date: 13.06.2023		DS Number: 00010050357	Date of last issue: 16.02.2023 Print Date 14.06.2023
ΙΑΤΑ		:	Not regulated as	a dangerous good
14.5 Enviro	onmental hazards			
ADN		:	Not regulated as	a dangerous good
ADR :		Not regulated as a dangerous good		
RID :		Not regulated as	a dangerous good	
IMDG :		Not regulated as a dangerous good		
14.6 Speci	al precautions for us	er		
Remai	rks	:	for special precau	ns: Refer to Section 7, Handling & Storage, utions which a user needs to be aware of or with in connection with transport.

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Product is not subject to Authorisation under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Safeguard of health and safety in the workplaces refer to D.Lgs.81/2008 and subsequent amendments.

For waste disposal refer to D.Lgs.152/2006 and subsequent amendments.

The components of this product are reported in the following inventories:

REACH	:	Not established.
-------	---	------------------

TSCA : Notified with Restrictions.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version	Revision Date:
1.7	13.06.2023

SDS Number: 800010050357 Date of last issue: 16.02.2023 Print Date 14.06.2023

SECTION 16: Other information

Full toxt of U Statemanta

Full text of H-Statements		
H302	:	Harmful if swallowed.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H361	:	Suspected of damaging fertility or the unborn child.
H373	:	May cause damage to organs through prolonged or repeated
		exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Reproductive toxicity Skin corrosion Skin sensitisation
Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S3 WX 220

Version	Revision Date:	SDS Number:	Date of last issue: 16.02.2023
1.7	13.06.2023	800010050357	Print Date 14.06.2023

Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information	
Training advice	Provide adequate information, instruction and training for op- erators.
Other information	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IT / EN