According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name	: Shell Omala SG 680
Product code	: 001H2688

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Gear oil
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	<ul> <li>Shell Italia Oil Products SRL</li> <li>Via Vittor Pisani 16</li> <li>I-20124 Milano MI</li> </ul>
Telephone	: (+39) 0200695000
Telefax	: (+39) 022484260
Contact for Safety Data Sheet	: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: SI	HELL: (+39 02 3800.4461/2 (available 24h a day)
Po	bison Centers (CAV) eligible for access to information for
he	ealth emergency response:
C	AV Osp. Bambin Gesù Roma 06 68593726; CAV Policlinico
"U	Imberto I" Roma 06-49978000;
C	AV Policlinico "A. Gemelli" Roma 06 3054343; CAV Milano
02	2 66101029; CAV Bergamo 800883300;
C/	AV Pavia 0382 24444; CAV Verona 800011858; CAV Firen-
ze	e 055 7947819; CAV Napoli 081 5453333;
C	AV Foggia 800183459.

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version 1.3	Revision Date: 05.07.2023		DS Number: 00010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023
	ard pictograms al word	:	No Hazard Symbo No signal word	l required
Haza	ard statements	:	Not classif criteria. HEALTH H Not classif ENVIRON	L HAZARDS: fied as a physical hazard according to CLP HAZARDS: fied as a health hazard under CLP criteria. MENTAL HAZARDS: fied as environmental hazard according to
Prec	autionary statements	:	Prevention: No precau	tionary phrases.
			Response: No precau	tionary phrases.
			Storage: No precau	tionary phrases.
			<b>Disposal:</b> No precau	tionary phrases.
Safe	Safety data sheet available on		equest.	
Sens	sitising components	:	Contains amine p May produce an a	

#### 2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO-

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023

extract, according to IP346. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L).

### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Amine phosphate	Not Assigned	Acute Tox. 4; H302	0,1 - 0,9
	931-384-6	Skin Sens. 1; H317	
	01-2119493620-38	Aquatic Chronic 2;	
		H411	
		Eye Irrit. 2; H319	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first aid	measures		
Protection of first-aider	s : When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.		
If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.		
In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>		
In case of eye contact	<ul> <li>Flush eye with copious quantities of water.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>		
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.		
4.2 Most important sympt	oms and effects, both acute and delayed		
Symptoms	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	: Notes to doctor/physician: Treat symptomatically.		

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	l
1.3	05.07.2023	800010034122	I

Date of last issue: 22.09.2022 Print Date 06.07.2023

#### **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.

#### 5.3 Advice for firefighters

5		
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	<ul><li>6.1.1 For non emergency personnel:</li><li>Avoid contact with skin and eyes.</li><li>6.1.2 For emergency responders:</li><li>Avoid contact with skin and eyes.</li></ul>
6.2 Environmental precautions		
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.
6.3 Methods and material for containment and cleaning up		

#### Methods for cleaning up : Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023
		Reclaim liquid Soak up residu	nment material. directly or in an absorbent. le with an absorbent such as clay, sand or other al and dispose of properly.

#### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

### SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
	Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
	Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
7.2	Conditions for safe storage, ir	ncl	uding any incompatibilities
	Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
	Packaging material	:	Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
	Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.
7.3	<b>Specific end use(s)</b> Specific use(s)	:	Not applicable

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (inhalable fraction)	5 mg/m3	IT OEL
Oil mist, mineral		TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values

#### **Biological occupational exposure limits**

#### 8.2 Exposure controls

#### Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

#### General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

#### Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.

Hand protection

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version 1.3	Revision Date: 05.07.2023	SDS Number: 800010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023
R	emarks	gloves approve US: F739) mad suitable chemic gloves Suitabili usage, e.g. free sistance of glov glove suppliers Personal hygie Gloves must or gloves, hands cation of a non For continuous through time of 480 minutes wi short-term/spla recognize that may not be ava time maybe ac and replaceme a good predicto dependent on t	entact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374, de from the following materials may provide cal protection. PVC, neoprene or nitrile rubber ity and durability of a glove is dependent on guency and duration of contact, chemical re- ve material, dexterity. Always seek advice from 5. Contaminated gloves should be replaced. ne is a key element of effective hand care. hly be worn on clean hands. After using should be washed and dried thoroughly. Appli- perfumed moisturizer is recommended. contact we recommend gloves with break- more than 240 minutes with preference for > here suitable gloves can be identified. For sh protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance nt regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is the exact composition of the glove material. s should be typically greater than 0.35 mm he glove make and model.
Skin	and body protection	work clothes.	is not ordinarily required beyond standard ice to wear chemical resistant gloves.
Resp	iratory protection	conditions of us In accordance tions should be If engineering of tions to a level select respirato cific conditions Check with res Where air-filter priate combina Select a filter s and vapours [T	protection is ordinarily required under normal se. with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- of use and meeting relevant legislation. piratory protective equipment suppliers. ing respirators are suitable, select an appro- tion of mask and filter. uitable for combined particulate/organic gases Type A/Type P boiling point > 65°C (149°F)] 387 and EN143.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	: Liquid at room temperature.

Colour

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version 1.3	Revision Date: 05.07.2023		S Number: 0010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023
Odou	ır	:	Data not availabl	e
Odou	r Threshold	:	Data not availabl	e
pour	point	:	-9 °C Method: ISO 301	6
Meltir	ng / freezing point		Data not availabl	e
Initial range	boiling point and boiling	:	> 280 °Cestimate	ed value(s)
Flam	mability			
FI	ammability (solid, gas)	:	Not applicable	
FI	ammability (liquids)	:	Not classified as	flammable but will burn.
Lowe	r explosion limit and upp	er ex	plosion limit / flam	nmability limit
	Upper explosion limit / upper flammability limit	:	Typical 10 %(V)	
	Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)	
Flash	point	:	270 °C Method: ISO 259	2
Auto-	ignition temperature	:	> 320 °C	
	mposition temperature ecomposition tempera- re	:	Data not availabl	e
рН		:	Not applicable	
Visco Vi	sity scosity, dynamic	:	Data not availabl	e
Vi	scosity, kinematic	:	38 mm2/s (100 ° Method: ISO 310	
			680 mm2/s (40,0 Method: ISO 310	
	pility(ies) ater solubility	:	negligible	
So	olubility in other solvents	:	Data not availabl	e

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Ver 1.3	sion	Revision Date: 05.07.2023		0S Number: 0010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023
		on coefficient: n- I/water	:		nation on similar products)
	Vapou	r pressure	:	< 0,5 Pa (20 °C) estimated value(	
	Relativ	e density	:	0,912 (15,0 °C)	
	Densit	у	:	912 kg/m3 (15,0 Method: ISO 12 <sup>-</sup>	
	Relativ	e vapour density	:	> 5	
9.2	Other in	nformation			
	Explos	ives	:	Classification Co	ode: Not classified
	Oxidizi	ng properties	:	Data not availab	le
	Flamm	ability (liquids)	:	Not classified as	flammable but will burn.
	Evapo	ration rate	:	Data not availab	le
	Condu	ctivity	:	This material is r	not expected to be a static accumulator.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

#### **10.2 Chemical stability**

Stable.

No hazardous reaction is expected when handled and stored according to provisions

# 10.3 Possibility of hazardous reactions Hazardous reactions : Reacts with strong oxidising agents. 10.4 Conditions to avoid Conditions to avoid : Extremes of temperature and direct sunlight. 10.5 Incompatible materials Materials to avoid : Strong oxidising agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023

# **SECTION 11: Toxicological information**

Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on likely routes of : Skin and eye contact are the primary routes of exposure alt-		
	hough exposure may occur following accidental ingestion.	
:	LD50 (rat): > 5.000 mg/kg Remarks: Low toxicity Based on available data, the classification criteria are not met.	
:	Remarks: Based on available data, the classification criteria are not met.	
:	LD50 (Rabbit): > 5.000 mg/kg	
	Remarks: Low toxicity Based on available data, the classification criteria are not met.	
:	Slightly irritating to skin. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Based on available data, the classification criteria are not met.	
itati	on	
:	Slightly irritating to the eye. Based on available data, the classification criteria are not met.	
:	Based on available data, the classification criteria are not met.	
satic	on	
:	For respiratory and skin sensitisation:	
	: : itati :	

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Versi 1.3	ion	Revision Date: 05.07.2023		0S Number: 0010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023		
	Compo	onents:					
	Amine	phosphate:					
	Remarks		:	tially sensitising c induce skin sensit	perimental data has shown that the concentration of poten- y sensitising components present in this product does not uce skin sensitisation. y cause an allergic skin reaction in sensitive individuals.		
	Germ o	cell mutagenicity					
<u> </u>	Produc	<u>:t:</u>					
1	Genotoxicity in vivo Germ cell mutagenicity- As- sessment Carcinogenicity		:	: Remarks: Non mutagenic Based on available data, the classification criteria are no			
			:	This product does categories 1A/1B	s not meet the criteria for classification in		
<u> </u>	Produc	<u>:t:</u>					
	Remarl	<s< td=""><td>:</td><td>Not a carcinogen. Based on availab</td><td>le data, the classification criteria are not met.</td></s<>	:	Not a carcinogen. Based on availab	le data, the classification criteria are not met.		
	Remarl	KS	:	carcinogenic in ar Highly refined mir	mineral oils of types shown to be non- nimal skin-painting studies. neral oils are not classified as carcinogenic al Agency for Research on Cancer (IARC).		
	Carcino ment	ogenicity - Assess-	:	This product does categories 1A/1B	s not meet the criteria for classification in		

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

#### **Reproductive toxicity**

Product:

Effects on fertility	:	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Versi 1.3	ion	Revision Date: 05.07.2023		DS Number: 0010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023
	STOT -	single exposure			
	Produc	: <u>t:</u>			
	Remarl	<s< td=""><td>:</td><td>Based on availab</td><td>e data, the classification criteria are not met.</td></s<>	:	Based on availab	e data, the classification criteria are not met.
	STOT -	repeated exposure			
	Produc	<u>:t:</u>			
	Remarl	٢S	:	Based on availab	e data, the classification criteria are not met.
	Aspira	tion toxicity			
	Produce Not an		sed	on available data	the classification criteria are not met.
	i tot un	aopiration nazara., za	000	on available data,	
11.2	Inform	ation on other hazard	ls		
	Endoc	rine disrupting prope	rtie	s	
	Produc	<u>:t:</u>			
	Assessment		:	ered to have endo REACH Article 57	Exture does not contain components consid- ocrine disrupting properties according to (f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
	Furthe	r information			
	<u>Produc</u>	<u>:t:</u>			
	Remarl	٢S	:	lated during use. depend on use ar environment on d	Id be handled with caution and skin contact
	Remarl	<s< td=""><td>:</td><td>Slightly irritating to</td><td>o respiratory system.</td></s<>	:	Slightly irritating to	o respiratory system.
	Remarl	٢S	:	Classifications by frameworks may	other authorities under varying regulatory exist.
	Remarl	٢S	:		otherwise, the data presented is representa- t as a whole, rather than for individual com-

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:
1.3	05.07.2023	800010034122

Date of last issue: 22.09.2022 Print Date 06.07.2023

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.

#### 12.2 Persistence and degradability

#### Product:

Biodegradability	: Remarks: Not readily biodegradable.
	Major constituents are inherently biodegradable, but contains com-
	ponents that may persist in the environment.
	Persistent per IMO criteria.
	International Oil Pollution Compensation (IOPC) Fund definition:
	"A non-persistent oil is oil, which, at the time of shipment, consists
	of hydrocarbon fractions, (a) at least 50% of which, by volume,
	distills at a temperature of 340°C (645°F) and (b) at least 95% of
	which, by volume, distils at a temperature of 370°C (700°F) when
	tested by the ASTM Method D-86/78 or any subsequent revision
	thereof."

#### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation	:	Remarks: Contains components with the potential to bioaccumulate

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version 1.3	Revision Date: 05.07.2023		0S Number: 0010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023		
12.4 Mc	obility in soil					
	Product: Mobility		Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile.			
			Remarks: Floats c	n water.		
12.5 Re	sults of PBT and vPvB a	sses	ssment			
Pro	oduct:					
	sessment	:		not contain any REACH registered sub- ssessed to be a PBT or a vPvB		
12.6 En	docrine disrupting prope	ertie	S			
Pro	oduct:					
As	sessment	:	have endocrine disru 57(f) or Commission	The does not contain components considered to upting properties according to REACH Article n Delegated regulation (EU) 2017/2100 or tition (EU) 2018/605 at levels of 0.1% or higher.		
12.7 Ot	her adverse effects					
Pro	oduct:					
	ditional ecological infor- ition	:	tion potential or glob Product is a mixture	e depletion potential, photochemical ozone crea- bal warming potential. of non-volatile components, which will not be y significant quantities under normal conditions		
			Poorly soluble mixt Causes physical fou	ure. ling of aquatic organisms.		
			Mineral oil does not concentrations less t	cause chronic toxicity to aquatic organisms at than 1 mg/l.		
				herwise, the data presented is representative of ole, rather than for individual component(s).		
SECTI	ON 13: Disposal consid	dera	ations			

#### 13.1 Waste treatment methods

Product

: Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Versio 1.3	n Revision Date: 05.07.2023	SDS Number: 800010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023
		ground wate Do not dispo courses. Do not dispo drain into the contaminatio Waste arisin posed of in a to a recognis	act should not be allowed to contaminate soil or r, or be disposed of into the environment. se into the environment, in drains or in water se of tank water bottoms by allowing them to e ground. This will result in soil and groundwater on. g from a spillage or tank cleaning should be dis- accordance with prevailing regulations, preferably sed collector or contractor. The competence of the contractor should be established beforehand.
		Pollution fror	ee International Convention for the Prevention of n Ships (MARPOL 73/78) which provides tech- s at controlling pollutions from ships.
C	ontaminated packaging	to a recogniz the collector Disposal sho	ccordance with prevailing regulations, preferably ed collector or contractor. The competence of or contractor should be established beforehand. ould be in accordance with applicable regional, l local laws and regulations.
Lo	ocal legislation		
W	/aste catalogue	: EU Waste D	isposal Code (EWC):
W	/aste Code	: 13 02 05*	
R	emarks	: Classificatior user.	n of waste is always the responsibility of the end
		empty contai	osal of waste arising from the product, including iners not cleared, follow the Legislative Decree subsequent amendments.
			ould be in accordance with applicable regional, I local laws and regulations.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Versi 1.3	ion	Revision Date: 05.07.2023	-	DS Number: 0010034122	Date of last issue: 22.09.2022 Print Date 06.07.2023
	ADN		:	Not regulated as a	a dangerous good
	ADR		:	Not regulated as a	a dangerous good
I	RID		:	Not regulated as a	a dangerous good
	IMDG IATA		:		a dangerous good a dangerous good
14.2	UN pro	oper shipping name			
	ADN		:	Not regulated as a	a dangerous good
1	ADR		:	Not regulated as a	a dangerous good
I	RID		:	Not regulated as a	a dangerous good
	IMDG IATA		:		a dangerous good a dangerous good
14.3	Transp	port hazard class(es)			
	ADN		:	Not regulated as a	a dangerous good
	ADR		:	Not regulated as a	a dangerous good
I	RID		:	Not regulated as a	a dangerous good
	IMDG IATA		:		a dangerous good a dangerous good
14.4 Packing group					
	ADN		:	Not regulated as a	a dangerous good
	ADR		:	Not regulated as a	a dangerous good
I	RID		:	Not regulated as a	a dangerous good
	IMDG IATA		:		a dangerous good a dangerous good
14.5	Enviro	onmental hazards			
	ADN		:	Not regulated as a	a dangerous good
1	ADR		:	Not regulated as a	a dangerous good
I	RID		:	Not regulated as a	a dangerous good
I	IMDG		:	Not regulated as a	a dangerous good
	•	al precautions for use	ər		
l	Remar	ks	:	for special precau	ns: Refer to Section 7, Handling & Storage, tions which a user needs to be aware of or with in connection with transport.

#### 14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Product is not subject to Authorisa- tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

#### Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Safeguard of health and safety in the workplaces refer to D.Lgs.81/2008 and subsequent amendments.

For waste disposal refer to D.Lgs.152/2006 and subsequent amendments.

#### The components of this product are reported in the following inventories:

REACH	:	All components listed.

TSCA : All components listed.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H302 H317 H319 H411	:	Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
Full text of other abbreviations		
Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Skin Sens.	:	Skin sensitisation
IT OEL	:	Italy. List of indicative limit values for professional exposure to chemical agents.
IT OEL / TWA	:	Time weighted average

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023
1.5	05.07.2025	000010034122	Film Date 00.07.2025

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar ( ) in the left margin indicates an amendment
		from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

According to EC No 1907/2006 as amended as at the date of this SDS

# Shell Omala SG 680

Version	Revision Date:	SDS Number:	Date of last issue: 22.09.2022
1.3	05.07.2023	800010034122	Print Date 06.07.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IT / EN