According to EC No 1907/2006 as amended as at the date of this SDS

## AeroShell Turbine Oil 390

Date of last issue: 16.01.2025 Version Revision Date: SDS Number:

6.0 18.02.2025 800001001486 Print Date 19.02.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

: AeroShell Turbine Oil 390 Trade name

Product code : 001A0081

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Synthetic lubricating oil for aircraft turbine engines., For further stance/Mixture

details consult the AeroShell Book on www.shell.com/aviation.

Uses advised against : This product must be used, handled, and applied in accord-

ance with the requirements of the equipment manufacturer's

manuals, bulletins and other documentation.

This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup-

plier.

## 1.3 Details of the supplier of the safety data sheet

: Shell Italia Oil Products SRL Manufacturer/Supplier

> Via Vittor Pisani 16 I-20124 Milano MI

Telephone : (+39) 0200695000 (+39) 022484260 Telefax

: If you have any enquiries about the content of this SDS Contact for Safety Data

Sheet please email lubricantSDS@shell.com

#### 1.4 Emergency telephone number

: SHELL: (+39 02 3800.4461/2 (available 24h a day)

Poison Centers (CAV) eligible for access to information for

health emergency response:

CAV Osp. Bambin Gesù Roma 06 68593726; CAV Policlinico

"Umberto I" Roma 06-49978000;

CAV Policlinico "A. Gemelli" Roma 06 3054343; CAV Milano

02 66101029; CAV Bergamo 800883300;

CAV Pavia 0382 24444; CAV Verona 800011858; CAV Firen-

ze 055 7947819; CAV Napoli 081 5453333;

CAV Foggia 800183459.

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

Long-term (chronic) aquatic hazard, Cat-

H411: Toxic to aquatic life with long lasting effects.

egory 2

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

\*

Signal word : No signal word

Hazard statements : PHYSICAL HAZARDS:

Not classified as a physical hazard according to CLP

criteria.

**HEALTH HAZARDS:** 

Not classified as a health hazard under CLP criteria.

**ENVIRONMENTAL HAZARDS:** 

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Storage:

No precautionary phrases.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Sensitising components : Contains N-phenyl-1-naphthylamine.

May produce an allergic reaction.

## 2.3 Other hazards

## Product contains substances which are persistent, bioaccumulative, and toxic (PBT).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

Not classified as flammable but will burn.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Blend of synthetic esters and additives.

Components

Components	1	1	
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Polyalkylene glycol	9038-95-3	Acute Tox. 4; H302	1 - 3
O,O,O-triphenyl phosphorothioate	597-82-0 209-909-9 01-2119979545-21	Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	1 - 2,4
N-phenyl-1-naphthylamine	90-30-2 201-983-0 01-2119488704-27	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	0,25 - 0,99

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

Protection of first-aiders : When administering first aid, ensure that you are wearing the

appropriate personal protective equipment according to the

incident, injury and surroundings.

If inhaled : No treatment necessary under normal conditions of use.

If symptoms persist, obtain medical advice.

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

In case of skin contact : Remove contaminated clothing. Flush exposed area with wa-

ter and follow by washing with soap if available.

If persistent irritation occurs, obtain medical attention.

In case of eye contact : Flush eye with copious quantities of water.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If persistent irritation occurs, obtain medical attention.

If swallowed : In general no treatment is necessary unless large quantities

are swallowed, however, get medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Oil acne/folliculitis signs and symptoms may include formation

of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Notes to doctor/physician:

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Foam, water spray or fog. Dry chemical powder, carbon diox-

ide, sand or earth may be used for small fires only.

Unsuitable extinguishing

media

Do not use water in a jet.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Hazardous combustion products may include:

A complex mixture of airborne solid and liquid particulates and

gases (smoke).

Carbon monoxide may be evolved if incomplete combustion

occurs.

Unidentified organic and inorganic compounds.

#### 5.3 Advice for firefighters

Special protective equipment:

for firefighters

Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to

relevant Standards (e.g. Europe: EN469).

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : 6.1.1 For non emergency personnel:

Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes.

#### 6.2 Environmental precautions

Environmental precautions : Use appropriate containment to prevent uncontrolled release.

Prevent from spreading or entering drains, ditches or rivers by

using sand, earth, or other appropriate barriers.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Slippery when spilt. Avoid accidents, clean up immediately.

Prevent from spreading by making a barrier with sand, earth

or other containment material.

Reclaim liquid directly or in an absorbent.

Soak up residue with an absorbent such as clay, sand or other

suitable material and dispose of properly.

#### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures : Use local exhaust ventilation if there is risk of inhalation of

vapours, mists or aerosols.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this

material.

Advice on safe handling : Avoid prolonged or repeated contact with skin.

Avoid inhaling vapour and/or mists.

When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate-

rials in order to prevent fires.

Product Transfer : Proper grounding and bonding procedures should be used

during all bulk transfer operations to avoid static accumulation.

## 7.2 Conditions for safe storage, including any incompatibilities

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

Further information on stor-

age stability

Keep container tightly closed and in a cool, well-ventilated

place.

Use properly labeled and closable containers. Must be stored in a diked (bunded) area.

Store at ambient temperature.

Refer to section 15 for any additional specific legislation cov-

ering the packaging and storage of this product.

Packaging material : Suitable material: For containers or container linings, use mild

steel or high density polyethylene.

Unsuitable material: PVC.

Container Advice : Polyethylene containers should not be exposed to high tem-

peratures because of possible risk of distortion.

7.3 Specific end use(s)

Specific use(s) : Not applicable

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Biological occupational exposure limits**

No biological limit allocated.

## 8.2 Exposure controls

## **Engineering measures**

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

#### **General Information**

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

#### Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection : If material is handled such that it could be splashed into eyes,

protective eyewear is recommended. Approved to EU Standard EN166.

Hand protection

Remarks : Where hand contact with the product may occur the use of

gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough

time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm

depending on the glove make and model.

Skin and body protection : Skin protection is not ordinarily required beyond standard

work clothes.

It is good practice to wear chemical resistant gloves.

Respiratory protection : No respiratory protection is ordinarily required under normal

conditions of use.

In accordance with good industrial hygiene practices, precau-

tions should be taken to avoid breathing of material.

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appro-

priate combination of mask and filter.

Select a filter suitable for combined particulate/organic gases

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Date of last issue: 16.01.2025 Version **Revision Date:** SDS Number:

18.02.2025 800001001486 Print Date 19.02.2025 6.0

and vapours [Type A/Type P boiling point > 65°C (149°F)]

meeting EN14387 and EN143.

Thermal hazards : Not applicable

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state Liquid at room temperature.

Colour Pale yellow

Odour Slight hydrocarbon

Odour Threshold Data not available

Melting / freezing point Data not available

<= -60 °C Pour point

Method: ASTM D97

Initial boiling point and boiling : > 280 °Cestimated value(s)

range

Flammability

Flammability (solid, gas) : Not applicable

Not classified as flammable but will burn. Flammability (liquids)

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Upper flammability limit

: Typical 10 %(V)

Lower explosion limit /

Lower flammability limit

Typical 1 %(V)

Flash point >= 230 °C

Method: ASTM D92 (COC)

Auto-ignition temperature > 320 °C

Decomposition temperature

Decomposition tempera-

Data not available

рΗ Not applicable

Viscosity

ture

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

Viscosity, dynamic : Data not available

Viscosity, kinematic : 3,4 mm2/s (100 °C)

Method: ASTM D445

12,9 mm2/s (40,0 °C) Method: ASTM D445

<= 13000 mm2/s (-54 °C)

Method: ISO 3104

Solubility(ies)

Water solubility : negligible

Solubility in other solvents : Data not available

Partition coefficient: n-

octanol/water

log Pow: > 6

(based on information on similar products)

Vapour pressure : < 0,5 Pa (20 °C)

estimated value(s)

Relative density : 0,924 (15 °C)

Density : 924 kg/m3 (15,0 °C)

Method: ISO 12185

Relative vapour density : > 1

estimated value(s)

Particle characteristics

Particle size : Data not available

9.2 Other information

Explosive properties : Classification Code: Not classified

Oxidizing properties : Data not available

Flammability (liquids) : Not classified as flammable but will burn.

Evaporation rate : Data not available

Conductivity : This material is not expected to be a static accumulator.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

## 10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with strong oxidising agents.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of:

exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : LD50 (rat): > 5.000 mg/kg

Remarks: Low toxicity

Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Remarks: Low toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

**Product:** 

Remarks : Slightly irritating to skin.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil

acne/folliculitis.

Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

## Serious eye damage/eye irritation

**Product:** 

Remarks : Slightly irritating to the eye.

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

**Product:** 

Remarks : For respiratory and skin sensitisation:

Not a sensitiser.

Based on available data, the classification criteria are not met.

**Components:** 

N-phenyl-1-naphthylamine:

Remarks : May cause an allergic skin reaction in sensitive individuals.

Germ cell mutagenicity

**Product:** 

Genotoxicity in vivo : Remarks: Non mutagenic

Based on available data, the classification criteria are not met.

Germ cell mutagenicity- As-

sessment

This product does not meet the criteria for classification in

categories 1A/1B.

Carcinogenicity

**Product:** 

Remarks : Not a carcinogen.

Based on available data, the classification criteria are not met.

Carcinogenicity - Assess-

ment

This product does not meet the criteria for classification in

categories 1A/1B.

Material	GHS/CLP Carcinogenicity Classification
Polyalkylene glycol	No carcinogenicity classification.
O,O,O-triphenyl phos- phorothioate	No carcinogenicity classification.
N-phenyl-1-naphthylamine	No carcinogenicity classification.

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

#### Reproductive toxicity

**Product:** 

Effects on fertility

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are

not met.

Reproductive toxicity - As-

sessment

This product does not meet the criteria for classification in

categories 1A/1B.

STOT - single exposure

**Product:** 

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

**Product:** 

Remarks : Based on available data, the classification criteria are not met.

#### **Aspiration toxicity**

#### **Product:**

Not an aspiration hazard., Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

## **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Used oils may contain harmful impurities that have accumu-

lated during use. The concentration of such impurities will depend on use and they may present risks to health and the

environment on disposal.

ALL used oil should be handled with caution and skin contact

avoided as far as possible.

Remarks : Slightly irritating to respiratory system.

Remarks : Classifications by other authorities under varying regulatory

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Date of last issue: 16.01.2025 Version **Revision Date:** SDS Number: 18.02.2025 800001001486 Print Date 19.02.2025 6.0

frameworks may exist.

Remarks Unless indicated otherwise, the data presented is representa-

tive of the product as a whole, rather than for individual com-

ponent(s).

## **SECTION 12: Ecological information**

## 12.1 Toxicity

**Product:** 

Toxicity to fish Remarks: LL/EL/IL50 1-10 mg/l

Toxic

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: LL/EL/IL50 1-10 mg/l

Toxic

Toxicity to algae/aquatic plants : Remarks: LL/EL/IL50 1-10 mg/l

Toxic

Toxicity to fish (Chronic tox-

icity)

Remarks: Data not available

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Remarks: Data not available

Toxicity to microorganisms

Remarks: Data not available

#### **Components:**

#### O,O,O-triphenyl phosphorothioate:

M-Factor (Acute aquatic tox- : 1

icity)

M-Factor (Chronic aquatic

toxicity)

: 10

#### N-phenyl-1-naphthylamine:

M-Factor (Acute aquatic tox- : 1

icity)

M-Factor (Chronic aquatic

toxicity)

: 1

## 12.2 Persistence and degradability

## **Product:**

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

Biodegradability : Remarks: Not readily biodegradable.

Major constituents are inherently biodegradable, but contains com-

ponents that may persist in the environment.

## 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: Contains components with the potential to bioaccumulate.

## 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: Liquid under most environmental conditions., If it

enters soil, it will adsorb to soil particles and will not be mo-

bile.

Remarks: Floats on water.

#### 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : Product contains substances which are persistent, bioaccu-

mulative, and toxic (PBT)...

## 12.6 Endocrine disrupting properties

## **Product:**

Assessment : The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential.

Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions

of use.

Poorly soluble mixture.

Causes physical fouling of aquatic organisms.

Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version 6.0 Revision Date: 18.02.2025

SDS Number: 800001001486

Date of last issue: 16.01.2025

Print Date 19.02.2025

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth-

ods in compliance with applicable regulations.

Do not dispose into the environment, in drains or in water

courses.

Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.

Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination.

MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.

Contaminated packaging

Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local legislation

Waste catalogue

EU Waste Disposal Code (EWC):

Waste Code

13 02 06\*

Remarks : Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Classification of waste is always the responsibility of the end

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025 6.0 18.02.2025 800001001486 Print Date 19.02.2025

user.

For the disposal of waste arising from the product, including empty containers not cleared, follow the Legislative Decree

152/06 and subsequent amendments.

## **SECTION 14: Transport information**

14.1 UN number or ID number

ADN : 3082
ADR : 3082
RID : 3082
IMDG : 3082
IATA : 3082

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(O,O,O-triphenyl phosphorothioate)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(O,O,O-triphenyl phosphorothioate)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(O,O,O-triphenyl phosphorothioate)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(O,O,O-triphenyl phosphorothioate)

IATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(O,O,O-triphenyl phosphorothioate)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Labels : 9 (N2, F)

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

**ADR** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**RID** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III Labels : 9

**IATA** 

Packing group : III Labels : 9

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

14.6 Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Product is not subject to Authorisa-

tion under REACH.

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

REACH - Candidate List of Substances of Very High : O,O,O-triphenyl phosphorothioate

Concern for Authorisation (Article 59).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

E2 ENVIRONMENTAL HAZARDS

dangerous substances.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

## Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Safeguard of health and safety in the workplaces refer to D.Lgs.81/2008 and subsequent amendments.

For waste disposal refer to D.Lgs.152/2006 and subsequent amendments.

Product is subject to Decree-Law N. 105 of 26 June 2015 on the control of the danger of major accidents involving certain dangerous substances, based on Seveso III directive (2012/18/EU).

## The components of this product are reported in the following inventories:

REACH : Notified with Restrictions.

TSCA : All components listed.

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.

H317 : May cause an allergic skin reaction.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

According to EC No 1907/2006 as amended as at the date of this SDS

## AeroShell Turbine Oil 390

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Training advice : Provide adequate information, instruction and training for op-

erators.

Other information : A vertical bar (|) in the left margin indicates an amendment

from the previous version.

Sources of key data used to compile the Safety Data

Sheet

The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU

IUCLID date base, EC 1272 regulation, etc).

Classification of the mixture: Classification procedure:

Aquatic Chronic 2 H411 Expert judgement and weight of evi-

dence determination.

Identified Uses according to the Use Descriptor System Uses - Worker

Title : General use of lubricants and greases in vehicles or machin-

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025 800001001486 Print Date 19.02.2025

ery. - Industrial

Uses - Worker

Title : General use of lubricants and greases in vehicles or machin-

ery.

- Professional

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IT / EN

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

## **Exposure Scenario - Worker**

30000010675	
000000010010	
SECTION 1	EXPOSURE SCENARIO TITLE
Title	General use of lubricants and greases in vehicles or machin- ery Industrial
Use Descriptor	Sector of Use: SU 3 Process Categories: PROC 1, PROC 2, PROC 8b, PROC 9 Environmental Release Categories: ERC4, ERC7, ATIEL- ATC SPERC 4.Bi.v1
Scope of process	Covers general use of lubricants and greases in vehicles or machinery in closed systems. Includes filling and draining of containers and operation of enclosed machinery (including engines) and associated maintenance and storage activities.

SECTION 2	OPERATIONAL CONDITIONS AND RISK MANAGEMENT MEASURES	
Additional Information	No exposure assessment presented for human health.	
Section 2.1	Control of Worker Exposure	
<b>Product Characteristics</b>		
Contributing Scenarios	Risk Management Measures	
Section 2.2	Control of Environmental Exposure	
Amounts Used		
EU tonnage (tonnes per year	ar):	2.631,1
Fraction of EU tonnage use		0,1
Fraction of Regional tonnag	e used locally:	0,1
Frequency and Duration o	f Use	
Emission Days (days/year):		300
<b>Environmental factors not</b>	influenced by risk management	
Local freshwater dilution factor:		10
Local marine water dilution factor:		100
	ons affecting Environmental Exposure	
Negligible wastewater emissions as process operates without water		
contact.		
Release fraction to air from process (after typical onsite RMMs):		5,00E-05
Release fraction to wastewater from process (after typical onsite		2,00E-11
RMMs and before (municipal) sewage treatment plant):		
	process (after typical onsite RMMs):	0
	measures at process level (source) to pr	event release
Common practices vary across sites thus conservative process re-		
lease estimates used.		<u> </u>
	ns and measures to reduce or limit disch	arges, air emis-
Sions and releases to soil	a a typical ramayal officianay of (0/)	70
	e a typical removal efficiency of (%)	70
wastewater.	olved substance to or recover from onsite	
User sites are assumed to b	e provided with oil/water separators or	

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

Conditions and measures related to external recovery of waste

equivalent and for waste water to be discharged via public sewer sys-		
tem.		
Organisational measures to prevent/limit release from site		
Do not apply industrial sludge to natural soils.		
Sludge should be incinerated, contained or reclaimed.		
Conditions and Measures related to municipal sewage treatment plant		
Estimated substance removal from wastewater via domestic sewage	69,1	
treatment (%)		
Assumed domestic sewage treatment plant flow (m3/d)	2,00E+03	
Maximum allowable site quantity (MSafe) based on OCs and RMMs	63.283,7	
as above (kg/day):		
Conditions and Measures related to external treatment of waste for disposal		
External treatment and disposal of waste should comply with applicable local and/or regional		
regulations.		

		_
SECTION 3	EXPOSURE ESTIMATION	

External recovery and recycling of waste should comply with applicable local and/or regional

SECTION 3	EXPOSURE ESTIMATION	
Section 3.1 - Health		
No exposure assessment pre	sented for human health.	

# Section 3.2 -Environment Used ECETOC TRA model.

SECTION 4	GUIDANCE TO CHECK COMPLIANCE WITH THE		
	EXPOSURE SCENARIO		
Section 4.1 - Health			
No exposure assessment presented for human health.			

#### **Section 4.2 - Environment**

regulations.

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org).

If scaling reveals a condition of unsafe use (i.e., RCRs > 1), additional RMMs or a site-specific chemical safety assessment is required.

For further information see www.ATIEL.org/REACH\_GES.

According to EC No 1907/2006 as amended as at the date of this SDS

# **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

## **Exposure Scenario - Worker**

30000010676	
SECTION 1	EXPOSURE SCENARIO TITLE
Title	General use of lubricants and greases in vehicles or machin- ery Professional
Use Descriptor	Sector of Use: SU 22 Process Categories: PROC 1, PROC 2, PROC 8a, PROC 8b, PROC 20 Environmental Release Categories: ERC9a, ERC9b, ATIEL-ATC SPERC 9.Bp.v1
Scope of process	Covers general use of lubricants and greases in vehicles or machinery in closed systems. Includes filling and draining of containers and operation of enclosed machinery (including engines) and associated maintenance and storage activities.

SECTION 2	OPERATIONAL CONDITIONS AND RISK MANAGEMENT MEASURES		
Additional Information	No exposure assessment presented for human health.		
Section 2.1	Control of Worker Exposure		
Product Characteristics			
Contributing Scenarios	Risk Management Measures		
Section 2.2	Control of Environmental Exposure		
Amounts Used			
EU tonnage (tonnes per year		5.387,2	
Fraction of EU tonnage used	in region:	0,1	
Fraction of Regional tonnage		0,1	
Frequency and Duration of	Use		
Emission Days (days/year): 365		365	
	influenced by risk management		
Local freshwater dilution factor: 10		_	
Local marine water dilution fa			
	ns affecting Environmental Exposure	1	
Negligible wastewater emissi contact.	ons as process operates without water		
	rocess (after typical onsite RMMs):		
Release fraction to wastewater from process (after typical onsite 5,00E-04 RMMs and before (municipal) sewage treatment plant):		5,00E-04	
Release fraction to soil from process (after typical onsite RMMs): 1E-03		1E-03	
	neasures at process level (source) to pr	revent release	
	ss sites thus conservative process re-		
lease estimates used.			
	s and measures to reduce or limit disch	narges, air emis-	
sions and releases to soil			
	lived substance to or recover from onsite		
wastewater.	401 14 1		
Organisational measures to	prevent/limit release from site		

According to EC No 1907/2006 as amended as at the date of this SDS

## **AeroShell Turbine Oil 390**

Version Revision Date: SDS Number: Date of last issue: 16.01.2025

6.0 18.02.2025 800001001486 Print Date 19.02.2025

Do not apply industrial sludge to natural soils.

Sludge should be incinerated, contained or reclaimed.

Conditions and Measures related to municipal sewage treatment plant		
Estimated substance removal from wastewater via domestic sewage	69,1	
treatment (%)		
Assumed domestic sewage treatment plant flow (m3/d)	2,00E+03	
Maximum allowable site quantity (MSafe) based on OCs and RMMs	159,3	
as above (kg/day):		

# Conditions and Measures related to external treatment of waste for disposal

External treatment and disposal of waste should comply with applicable local and/or regional regulations.

## Conditions and measures related to external recovery of waste

External recovery and recycling of waste should comply with applicable local and/or regional regulations.

SECTION 3	EXPOSURE ESTIMATION	
Section 3.1 - Health		
No exposure assessment presented for human health.		

# Section 3.2 - Environment

Used ECETOC TRA model.

SECTION 4	GUIDANCE TO CHECK COMPLIANCE WITH THE EXPOSURE SCENARIO
Section 4.1 - Health	
No exposure assessment presented for human health.	

#### **Section 4.2 - Environment**

Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

Further details on scaling and control technologies are provided in SpERC factsheet (http://cefic.org).

If scaling reveals a condition of unsafe use (i.e., RCRs > 1), additional RMMs or a site-specific chemical safety assessment is required.

For further information see www.ATIEL.org/REACH\_GES.